

Industrial Cleaning Machine

Used Industrial Cleaning Machine Berkeley - Commercial floor scrubbers provide an efficient, cost-effective and fast way to clean floor surfaces and are used for regular maintenance. Labor expenses make up about 90% of total expenses when it comes to maintaining floors. Large areas can be cleaned thoroughly and with less staff when commercial floor scrubbers are utilized. Commercial floor scrubbers are available in several automated types. More recently, advancements in technology have brought about robotic versions of commercial floor scrubbers. These machines offer an automated system for evenly dispersing the cleaning compound at regular intervals. Some automatic floor scrubbing models within a vacuum system may be fitted at the rear of the machine with a squeegee attachment behind the suction nozzle. These units also have separate dispensing and collection or recovery tanks. The dispensing tank holds the cleaning mixture and the collection tank holds the liquids and material gathered by the vacuum system. This ensures that the clean water and dirty water are kept separate which makes floor scrubbers a more hygienic alternative to traditional cleaning methods such as a mop and bucket. The automatic scrubber operates by first dispensing the cleaning compound from the dispensing tank, then using the scrubbing system, to push the cleaning compound into the floor surface and loosen dirt, stains and marks which are then quickly suctioned into the machine's collection tank as the unit makes its pass over an area.

Automatic Floor Scrubber Head Types

Automatic floor scrubbers are available in three common types of floor scrubber heads: 1. Rotary, sometimes referred to as disk; 2. Cylindrical; and 3. Square oscillating.

Rotary or Disk Floor Scrubber Head

The rotary or disk style floor scrubber head is the most common type of scrubber head. They use a circular motion with one or two round pads or brushes to push a cleaning compound into the floor.

Cylindrical Floor Scrubber Head

Rotating at a 90-degree angle to the floor, the cylindrical floor scrubber model features counter-rotating tube designed brushes to facilitate cleaning. These allow for better cleaning of uneven or irregular surfaces. Scrubbers relying on a cylindrical head typically have a collection unit found behind the scrubber head that allows for bigger items including stones and nails to be collected to eliminate having to sweep the floor before cleaning. The multiple brush types available make cleaning various types of flooring possible. A softer brush can be used to clean rubber, textured tile and synthetic floors while a stiffer brush can be used for rough surfaces such as concrete and grouted tile.

Square Oscillating Floor Scrubber Head

There is a flat pad on square oscillating floor scrubbing models that vibrate at high speed to clean the floor. Corners and walls can be cleaned more efficiently thanks to the square head design. When used with a special stripping pad, square scrubber heads are able to strip floor finish from a floor. This combination additionally is helpful for cleaning vinyl tile flooring. Because the square pad oscillates at very high speed, they apply more agitation to the floor resulting in more cleaning power. These square pads are useful for cleaning grouted tile.

Floor Scrubber Categories

There are four categories of floor scrubbers: Robotic, Rider, Stand-on and Walk-behind.

Walk-Behind Floor Scrubbers

Walk behind floor scrubbers are equipped with a forward assist mechanism that gently propels the machine forward when the feature is enabled by the operator. The forward assist helps curb fatigue of the operator which allows the operator to continue for a longer period of time, reducing fatigue and greatly increasing efficiency when compared to traditional manual methods.

Stand-On Floor Scrubbers

Stand-on floor scrubbers offer an increased efficiency for greater areas than a walk-behind machine, while being more affordable than a rider floor scrubber. Stand-on floor scrubbers offer increased maneuvering capacity and are smaller than rider models, making them capable of accessing more locations. Since the operator is standing, these units provide better line-of-sight compared to walk-behind and rider models.

Rider Floor Scrubbers

Rider floor scrubbers allow for the operator to be seated on the machine while operating. These machines clean in a similar manner and reduce operator fatigue due to their comfortable seating. This translates to an greater ability to cover very large areas quickly, offering approximately 65 percent greater efficiency than a walk-behind floor scrubber.

Robotic Floor Scrubbers

Advancements in

technologies in the autonomous robotics field have produced a new niche of floor-scrubbing robots. These units were born by joining self-control robotic features with automatic floor scrubbing options. Commercial models are suitable for education, retail, healthcare and manufacturing facilities. Certain robotic commercial units are capable of cleaning an area up to ten thousand square feet in one hour. With continuous development in robotic technology, the advancement of robotic floor scrubbers will intensify over the years. Increased development projections include advanced sensors and computing mechanisms. The latest generation of mobile robotics sensors allow a robotic floor scrubber a longer range of detection of surrounding walls and objects. This will enable the unit to be precise when determining its particular location in large locations including airports, convention centers and shopping malls. Early models of residential cleaning robots followed a random pattern when cleaning. However, commercial robotic floor scrubbers are now able to create an accurate plan for cleaning. These machines travel in a consistent and predictable manner every time they are in operation. Because of these advancing capabilities which allow these robotic floor scrubbers to know precisely where they have already cleaned and what areas they must still clean, they miss very few, if any, areas of the floor. These machines are capable of safely navigating around obstacles or people while they operate autonomously.

Additional Floor Scrubber Options and Considerations

Hard to Reach Areas It is difficult for floor scrubbing machines to reach certain corners, edges or around water fountains or similar fixtures. This normally translates to certain locations requiring to be cleaned in traditional methods. Some floor scrubbing manufacturers have created oscillating brushes that enable the machine to access tricky locations.

Pre-Sweeping and Vacuum System Maintenance Advanced models feature a pre-sweep option and vacuum system to be used before the wet scrub. These upgrades increase efficiency and cleanliness by allowing the operator to do everything with the machine. The pre-sweep brush head and collection chamber is placed in front of the vacuum system to collect dust and loose debris before it is able to reach the the vacuum system. This design helps to avoid any blockages occurring in the motor or vacuum hose. Previously, the cleaning crew was required to dry mop or sweep the location before employing the floor scrubber to collect any dust and debris that might harm the machine. If blockages in the vacuum system do occur, the vacuum hose might need to be removed to clear the blockage. Occasionally, the vacuum motor may need to be blown out with compressed air to clear away any debris.

Environmental Options Certain floor scrubbing models have environmentally friendly options. There are more environmental features incorporated into certain designs including safer soaps and water-saving systems to reduce the greywater and the chemicals. Some floor scrubbers are even able to clean without water and chemicals at all.

Solution Dispensing System Maintenance and Considerations Damage can occur to the solution dispensing system if stripping solutions are added to traditional floor scrubbers. Stripping solutions can be safely vacuumed up by the machine without causing damage. It is recommended maintenance to use a vinegar and water mixture to periodically flush out the solution system to remove any soap or calcium deposits.